

Application No. 09/676,502

Art Unit 1651

October 29, 2003

Reply to Office Action of February 13, 2003

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the present application.

Listing of Claims:

1-12. (Cancelled)

13. (Currently Amended) A pharmaceutical composition useful in the treatment of asthma, said composition comprising an amount of an extract obtained from the plant *Murraya koenigii* effective for treating asthma together with at least one pharmaceutically acceptable additive;

wherein said extract is made by a process comprising:

- i) extracting fresh leaves of *Murraya koenigii* with a solvent to obtain a percolate, said solvent being selected from the group consisting of a hydrocarbon solvent, a chlorinated hydrocarbon solvent, an alcohol solvent, an ether solvent and an ester solvent,
- ii) separating the percolate from the leaves, and
- iii) removing the solvent from the percolate to obtain said extract; and

wherein the at least one additive is a powder ~~derived from~~ of a plant selected from the group consisting of *M. paniculate* Linn, *H. abelmoschus*, *T. ammi*, *S. aromaticum*, *A. vasica* Nees and *E. hirta*.

Application No. 09/676,502

Art Unit 1651

October 29, 2003

Reply to Office Action of February 13, 2003

14. (Cancelled)

15. (Previously Presented) The composition as claimed in claim 13, wherein the composition comprises 80-100 mg of *M. paniculate* Linn, 40-60 mg of *H. abelmoschus*, 38-62 mg of *T. ammi*, 7-13 mg of *S. aromaticum*, 85 - 115 mg of *A. vasica* Nees and 90-110 mg of *E. hirta*.

16. (Previously Presented) The composition as claimed in claim 13, comprising:

<i>M. paniculata</i> Linn. Syn. <i>M. exotica</i> (KAMINI)	90mg
<i>H. abelmoschus</i> (JOWAN)	50mg
<i>T. ammi</i> (LAVANGA)	50mg
<i>S. aromaticum</i> (BASAK)	10mg
<i>A. vasica</i> Nees (PUSITOA)	100mg
<i>E. hirta</i>	100mg
<i>M. koenigii</i> (Suravi Neem)	100mg.

17. (Previously Presented) The composition as claimed in claim 13, wherein the extract of the plant *M. koenigii* is present in the range of 87-105 mg per dose.

Application No. 09/676,502

Art Unit 1651

October 29, 2003

Reply to Office Action of February 13, 2003

18-19. (Cancelled)

20. (Previously Presented) The composition as claimed in claim 13, wherein the extract has active principles having R_f values 0.73, 0.60, 0.34 and 0.14 in chloroform and methanol in the ratio 19:1 and R_f values 0.60, 0.38, 0.24 and 0.15 in chloroform.

21. (Previously Presented) The composition as claimed in claim 13, wherein the extract exhibits four peaks having retention times of 3.37, 3.49, 4.0 and 5.69 minutes in high pressure liquid chromatography over octyl decyl silane medium using methanol solvent and detection of absorbance at 254 nm.

22. (Previously Presented) The composition as claimed in claim 13, wherein the extract obtained from the plant *M. koenigii* exhibits antioxidant activity.

23. (Previously Presented) A method for the treatment of asthma in a patient in need thereof, said method comprising:

administering to the patient an amount of a composition comprising an extract obtained from the plant *Murraya koenigii* obtained by a process comprising:

Application No. 09/676,502

Art Unit 1651

October 29, 2003

Reply to Office Action of February 13, 2003

i) extracting fresh leaves of *Murraya koenigii* with a solvent to obtain a percolate, said solvent being selected from the group consisting of a hydrocarbon solvent, a chlorinated solvent, an ester solvent, an alcohol solvent, water and a buffer;

ii) separating the percolate from the leaves; and

iii) removing the solvent from the percolate to obtain said extract.

24. (Currently Amended) The method as claimed in claim 23, wherein the ~~lyophilized~~ extract obtained from *Murraya koenigii* is ~~administered along with at least one pharmaceutically acceptable additive for the treatment of asthma.~~ lyophilized.

25. (Previously Presented) The method as claimed in claim 23, wherein the mode of administration is oral for the treatment of mild or acute asthma.

26. (Previously Presented) The method as claimed in claim 23, wherein the dosage level of the composition is in between 325-600 mg twice daily for the period ranging from 3 to 30 days.

Application No. 09/676,502

Art Unit 1651

October 29, 2003

Reply to Office Action of February 13, 2003

27. (Previously Presented) The method as claimed in claim 23, wherein the dosage level is in between 325-600 mg twice daily for the period ranging from 3 to 15 days for mild asthmatic condition.

28. (Currently Amended) The method as claimed in claim 24, wherein the a powdered additive is added to the lyophilized extract, wherein the additive is at least one selected from the group consisting of *M. paniculate* Linn, *H. abelmoschus*, *T. ammi*, *S. aromaticum*, *A.vasica* Nees and *E. hirta*.

29. (Previously Presented) The method as claimed in claim 28, wherein the composition comprises 80-100 mg of *M. paniculate* Linn, 40-60 mg of *H. abelmoschus*, 38-62 mg of *T. ammi*, 7-13 mg of *S. aromaticum*, 85-115 mg of *A.vasica* Nees, 90-110 mg of *E. hirta*, together with 87-105 mg of *M. koenegii* per dose.

30. (Previously Presented) The method as claimed in claim 29, wherein the composition comprises 90 mg of *M. paniculate* Linn, 50 mg of *H. abelmoschus*, 50 mg of *T. ammi*, 10 mg of *S. aromaticum*, 100 mg of *A.vasica* Nees, 100 mg of *E. hirta*, along with 100 mg of *M. koenegii* per dose.

Application No. 09/676,502

Art Unit 1651

October 29, 2003

Reply to Office Action of February 13, 2003

31. (Previously Presented) The method as claimed in claim 24, wherein the composition comprises the additives *M. paniculate* Linn, *H. abelmoschus*, *T. ammi*, *S. aromaticum*, *A. vasica* Nees, *E. hirta*, and is also effective as an antidiarrheal, antiseptic, carminative, stimulant, antitussive, anti-bronchitis agent and for nourishment.

32. (Previously Presented) The method as claimed in claim 28, wherein the additives are obtained from:

bark or root of *M. paniculate* Linn; dried flower buds of *H. abelmoschus*; leaves of *T. ammi*; whole plant parts of *S. aromaticum*; root of *A. vasica* Nees and bark of *E. hirta*.

33. (Currently Amended) A pharmaceutical composition having an antioxidant activity, said composition comprising an antioxidant effective amount of an extract obtained from the plant *Murraya koenigii* together with at least one pharmaceutically acceptable additive;

wherein said extract is made by a process comprising:

i) extracting fresh leaves of *Murraya koenigii* with a solvent to obtain a percolate, said solvent is selected from the group consisting of a hydrocarbon solvent, a chlorinated hydrocarbon solvent and an ether solvent;

ii) separating the percolate from the leaves; and

Application No. 09/676,502

Art Unit 1651

October 29, 2003

Reply to Office Action of February 13, 2003

iii) removing the solvent from the percolate to obtain said extract; and

wherein the at least one additive is a powder ~~derived from~~ of a plant selected from the group of *M. paniculate* Linn, *H. abelmoschus*, *T. ammi*, *S. aromaticum*, *A. vasica* Nees and *E. hirta*.

34. (Cancelled)

35. (Previously Presented) The composition as claimed in claim 33, wherein the composition comprises 80-100 mg of *M. paniculate* Linn, 40-60 mg of *H. abelmoschus*, 38-62 mg of *T. ammi*, 7-13 mg of *S. aromaticum*, 85-115 mg of *A. vasica* Nees, 90-110 mg of *E. hirta*, together with 87-105 mg of *M. koenegii* per dose.

36. (Previously Presented) The composition as claimed in claim 35, wherein the composition comprises 90 mg of *M. paniculate* Linn, 50 mg of *H. abelmoschus*, 50 mg of *T. ammi*, 10 mg of *S. aromaticum*, 100 mg of *A. vasica* Nees, 100 mg of *E. hirta*, together with 100 mg of *M. koenegii* per dose.

37. (Previously Presented) The composition as claimed in claim 33, wherein the additives *M. paniculate* Linn, *H. abelmoschus*, *T. ammi*, *S. aromaticum*, *A. vasica* Nees, *E. hirta* along with *M. koenegii*

Application No. 09/676,502

Art Unit 1651

October 29, 2003

Reply to Office Action of February 13, 2003

are used as an antidiarrheal, antiseptic, carminative, stimulant, antitussive, anti-bronchitis agent and nourishment, respectively.

38. (Previously Presented) The composition as claimed in claim 33, wherein the additives are selected from *M. paniculate* Linn, *H. abelmoschus*, *T. ammi*, *S. aromaticum*, *A. vasica* Nees and *E. hirta*, in the form of bark or root; seed; fruit; dried flower buds; leaves; whole plant; and root and bark, respectively.

39-51. (Cancelled)

52. (Previously Presented) The method as claimed in claim 27, wherein the dosage level is in between 325-600 mg twice daily for the period ranging from 15 - 30 days for acute asthmatic condition.

53-60. (Cancelled)